

# **SAFETY DATA SHEET**

Issuing Date No data available Revision Date 17-Dec-2014 Revision Number :0

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

**GHS** product identifier

Product Name Rustlick UltraCut Aero

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Heavy-duty water-soluble oil
Uses advised against No information available

Manufacturer

Manufacturer Name/Address/Phone Number

ITW Pro Brands 616 East Industrial Street DeWitt, IA 52742

TEL: 1-800-241-8334 for US/ +1 770-243-8800 outside US

**Emergency telephone number** 

**Emergency Telephone** 

Number CHEMTREC: 1-800-424-9300 for US/ 703-527-3887 outside US

### 2. HAZARDS IDENTIFICATION

### **Classification**

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Skin Sensitization Category 1

# GHS Label elements, including precautionary statements

### **Emergency Overview**

# Signal Word Warning

#### **Hazard Statements**

• May cause an allergic skin reaction



Appearance: Golden Yellow, Light Brown Physical State: Liquid Odor: Characteristic

# **Precautionary Statements**

### Prevention

- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Contaminated work clothing should not be allowed out of the workplace.
- Wear protective gloves/protective clothing/eye protection/face protection.

### **General Advice**

Specific treatment (see supplemental instructions on the administration of antidotes on this label)

#### Skin

- IF ON SKIN: Wash with plenty of soap and water.
- If skin irritation or rash occurs: Get medical advice/attention.
- Wash contaminated clothing before reuse.

#### Storage

None

### Disposal

• Dispose of contents/container to an approved waste disposal plant.

# **Hazard Not Otherwise Classified (HNOC)**

Not applicable

#### Other information

15% of the mixture consists of ingredient(s) of unknown toxicity.

| 3. COMPOSITION / INFORMATION ON INGREDIENTS          |            |          | 3            |
|--|------------|----------|--------------|
| Chemical Name  | CAS-No     | Weight % | Trade secret |
| Petroleum distillates, hydrotreated heavy naphthenic | 64742-52-5 | 30-60    | *            |
| Triethanolamine                                      | 102-71-6   | 3-7      | *            |
|  |            |          |              |

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

# **Description of necessary first-aid measures**

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/attention.

**Skin Contact** Wash skin with soap and water. If skin irritation or rash occurs: Get

medical advice/attention. Remove and wash contaminated clothing

before re-use.

Inhalation If experiencing respiratory symptoms: Call a POISON CENTER or

doctor/physician.

Ingestion IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you

feel unwell



Rustlick UltraCut Aero Revision Date: 17-Dec-2014

# Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects Hives, Rashes.

## Indication of immediate medical attention and special treatment needed, if necessary

**Notes to Physician** May cause sensitization by skin contact.

# 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None

# **Specific Hazards Arising from the Chemical**

May burn if exposed to high temperature. Use water spray to cool unopened containers.

**Explosion Data** 

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

# **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

**Personal Precautions**Avoid contact with skin, eyes and clothing. Wash thoroughly

after handling.

**Environmental Precautions** 

**Environmental Precautions**See Section 12 for additional Ecological Information.

### Methods and materials for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Dam up. Soak up with inert absorbent material (e.g. sand, silica

gel, acid binder, universal binder, sawdust). Sweep up and

shovel into suitable containers for disposal.

### 7. HANDLING AND STORAGE

### Precautions for safe handling

Handling Avoid contact with skin, eyes and clothing. Wash thoroughly after

handling. Remove and wash contaminated clothing before re-

use.



Rustlick UltraCut Aero Revision Date: 17-Dec-2014

# Conditions for safe storage, including any incompatibilities

**Storage** Keep container tightly closed in a dry and well-ventilated place.

**Incompatible Products** Strong oxidizing agents.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Control parameters**

# **Exposure Guidelines**

| Chemical Name   | ACGIH TLV    | OSHA PEL | NIOSH IDLH |
|-----------------|--------------|----------|------------|
| Triethanolamine | TWA: 5 mg/m3 | -        | -          |
| 102-71-6        |              |          |            |

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

### Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

### Individual protection measures, such as personal protective equipment

**Eye/Face Protection**Safety glasses with side-shields. **Skin and Body Protection**Wear protective gloves/clothing.

Respiratory Protection I If exposure limits are exceeded or irritation is experienced,

NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Hygiene Measures** When using, do not eat, drink or smoke. Provide regular cleaning

of equipment, work area and clothing.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical StateLiquidAppearanceGolden Yellow, Light BrownOdorCharacteristicOdor ThresholdNo information available

Property Values Remarks/ - Method

Ph9.2at 10%Melting Point/RangeNo data availableNone knownBoiling Point/Boiling Range>100 °C /> 212 °FNone knownFlash Point> 93 °C /> 200 °FPMCCEvaporation rate> 0.1None known

Flammability (solid, gas)

No data available

None known



# Rustlick UltraCut Aero Revision Date: 17-Dec-2014

Flammability Limits in Air

upper flammability limitNo data availablelower flammability limitNo data available

**Vapor Pressure** < 1 mmHg None known **Vapor Density** >1 None known **Specific Gravity** 0.98 None known **Water Solubility Emulsifies** None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/water No data available None known **Autoignition Temperature** No data available None known **Decomposition Temperature** No data available None known **Viscosity** No data available None known

Flammable Properties Not flammable

**Explosive Properties**No data available **Oxidizing Properties**No data available

**Other information** 

VOC Content (%) None

# 10. STABILITY AND REACTIVITY

### Reactivity

No data available.

# **Chemical stability**

Stable under recommended storage conditions.

# Possibility of hazardous reactions

None under normal processing.

# **Hazardous Polymerization**

Hazardous polymerization does not occur.

# **Conditions to avoid**

High temperatures.

# **Incompatible materials**

Strong oxidizing agents.

# **Hazardous decomposition products**

Carbon oxides, Hydrocarbons, Nitrogen oxides (NOx).



### 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Product Information There is no data available for this product

InhalationMay cause irritation.Eye ContactMay cause irritation.

Skin Contact May cause allergic skin reaction Prolonged skin contact may

de-fat the skin and produce dermatitis.

**Ingestion** There is no data available for this product.

**Component Information** 

| Chemical Name   | LD50 Oral          | LD50 Dermal                                | LC50 Inhalation |
|-----------------|--------------------|--|-----------------|
| Triethanolamine | = 4190 mg/kg (Rat) | > 2000 mg/kg ( Rabbit) > 16<br>mL/kg (Rat) | -               |
|                 |                    | -  | -               |

# Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Rash

### Delayed and immediate effects and also chronic effects from short and long term exposure

**Sensitization** May cause sensitization by skin contact.

Mutagenic Effects No information available.

Carcinogenicity Petroleum products are known to cause cancer because of

carcinogenic components (e.g. benzene, DMSO). These carcinogenic components are typically found in crude petroleum products and are removed through the refinement process.

| Chemical Name   | ACGIH | IARC    | NTP | OSHA |
|-----------------|-------|---------|-----|------|
| Triethanolamine |       | Group 3 |     |      |

#### ACGIH: (American Conference of Governmental Industrial Hygienists)

none

# IARC: (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to its Carcinogenicity to Humans

# **OSHA: (Occupational Safety & Health Administration)**

X - Present

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration Hazard
No information available.
No information available.
No information available.

# **Numerical measures of toxicity - Product**

**Acute Toxicity** 15% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document:

**LD50 Oral** 28426 mg/kg; Acute toxicity estimate



# 12. ECOLOGICAL INFORMATION

Revision Date: 17-Dec-2014

### **Ecotoxicity**

The environmental impact of this product has not been fully investigated.

15 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name  | Toxicity to Algae   | Toxicity to Fish  | Toxicity to Microorganisms | Daphnia Magna<br>(Water Flea)             |
|--|---|---|----------------------------|---|
| Petroleum distillates,<br>hydrotreated heavy<br>naphthenic<br>64742-52-5 |   | LC50 96 h: > 5000<br>mg/L (Oncorhynchus<br>mykiss)  |                            | EC50 48 h: > 1000<br>mg/L (Daphnia magna) |
| Triethanolamine<br>102-71-6  | EC50 72 h: = 216 mg/L<br>(Desmodesmus<br>subspicatus) EC50 96<br>h: = 169mg/L<br>(Desmodesmus<br>subspicatus) | LC50 96 h: 10600 -<br>13000 mg/L flow-<br>through (Pimephales<br>promelas) LC50 96 h:<br>> 1000 mg/L static<br>(Pimephales promelas)<br>LC50 96 h: 450 - 1000<br>mg/L static (Lepomis<br>macrochirus) |                            | EC50 24 h: = 1386<br>mg/L (Daphnia magna) |
|  |   |   |                            |   |

Persistence and Degradability Bioaccumulation

No information available. No information available.

| Chemical Name   | Log Pow |
|-----------------|---------|
| Triethanolamine | -2.53   |

# **Other Adverse Effects**

No information available.

# 13. DISPOSAL CONSIDERATIONS

**Waste Disposal Methods** 

This material, as supplied, is not a hazardous waste according to Federal regulations (40CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

**Contaminated Packaging** 

Do not re-use empty containers.

# 14. TRANSPORT INFORMATION

**DOT** Not regulated

TDG Not regulated.

MEX Not regulated



# 15. REGULATORY INFORMATION

Revision Date: 17-Dec-2014

### **International Inventories**

**TSCA** Complies

#### Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### **U.S. Federal Regulations**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

# SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

# **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### **U.S. State Regulations**

# **California Proposition 65**

This product contains the following Proposition 65 chemicals.

|               | The product contains the following reposition of chemicals. |          |                     |  |  |
|---------------|---|----------|---------------------|--|--|
| Chemical Name |   | CAS-No   | California Prop. 65 |  |  |
|               | Diethanolamine  | 111-42-2 | Carcinogen          |  |  |

# U.S. State Right-to-Know Regulations

| Chemical Name          | New Jersey | Massachusetts | Pennsylvania | Illinois | Rhode Island |
|------------------------|------------|---------------|--------------|----------|--------------|
| Petroleum distillates, |            |               |              |          |              |
| hydrotreated heavy     |            |               |              | X        |              |
| naphthenic             |            |               |              |          |              |
| Triethanolamine        | Χ          | X             | Χ            |          | X            |

### **U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not applicable



### **16. OTHER INFORMATION**

NFPA Health Hazard 1 Flammability 1 Instability 0 Physical and

Chemical Hazards - Health Hazard 1 Flammability 1 Physical Hazard 0 Personal Protection X

### **Prepared By**

ITW Pro Brands 616 East Industrial Street DeWitt. IA 52742

TEL: 1-800-241-8334 for US/ +1 770-243-8800 outside US

Revision Date 17-Dec-2014

Revision Note No information available.

# **General Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet** 



<sup>\*</sup>Indicates a chronic health hazard.