SAFETY DATA SHEET

| Issuing Date | 01-Jan-2014 | Revision Date | 01-Jan-2018 | Revision Number | • |
|--------------|-------------|---------------|-------------|-----------------|---|
| | | | | | |
| | | | | | - |
| | | | | | |

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product Name Brown Tripoli Buffing Wheel Compound

<u>Other means of identification</u> 515-6250 #11, 515-6260 #22, 62517, 62513, KX-10145C

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Abrasive / Buffing Compound

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier NameFormax Mfg. CorporationSupplier Address168 Wealthy St.S.W.

Grand Rapids MI

49503 US

Supplier Phone Number Phone:1-616-456-5458

Fax:1-616-456-7507

Contact Phone1-616-456-7507

Supplier Email sales@formaxmfg.com

Emergency telephone number

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

GHS Label elements, including precautionary statements

| | Emergency Overview | |
|-------------|--------------------|--|
| Signal word | None | |
| | | |

Hazard Statements

None

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance Brown Physical State Solid Odor Fatty Odor

Precautionary Statements - Prevention

Obtain special instructions before use

Precautionary Statements - Response

None

Precautionary Statements - Storage

None

Precautionary Statements - Disposal

None

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

None

Other information

May cause slight eye irritation

PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION

Interactions with Other Chemicals

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

.

| Chemical Name | CAS No | Weight-% | Trade Secret |
|----------------|------------|----------|--------------|
| Silica Tripoli | 1317-95-9 | 45-60 | * |
| Stearic Acid | 57-11-4 | 16-30 | |
| Petrolatum | 8009-03-8 | 4-10 | * |
| Quartz | 14808-60-7 | 4-10 | |
| Carbon Black | 1333-86-4 | 0-5 | * |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

Eye Contact

Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.

Skin Contact Wash skin with soap and water. In the case of skin irritation or allergic reactions

see a physician.

Inhalation Remove to fresh air. If symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. Drink plenty of water. If symptoms persist, call a

physician.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and No information available.

Effects

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

No information available.

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with eyes.

Environmental Precautions

SD-29D

Environmental Precautions Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

eyes.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed.

Incompatible ProductsNone known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|----------------|------------------------------|--------------------------------------|------------------------------|
| Carbon black | TWA: 3.5 mg/ | TWA: 3.5 mg/m ³ | IDLH: 1750 mg/m ³ |
| 1333-86-4 | | (vacated) TWA: 3.5 mg/m ³ | TWA: 0.1 mg/m ³ |
| | | | TWA: 3.5 mg/m ³ |
| Silica-tripoli | TWA: 0.025 mg/m ³ | (vacated) TWA: 0.1 mg/m ³ | IDLH: 50 mg/m ³ |
| 1317-95-9 | | | TWA: 0.05 mg/m ³ |
| Quartz | TWA: 0.025 mg/m ³ | (vacated) TWA: 0.1 mg/m ³ | IDLH: 50 mg/m ³ |
| 14808-60-7 | | | TWA: 0.05 mg/m ³ |
| | | | |
| | | | |

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992) See section 15 for national exposure control parameters

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection For buffing machines wear safety glasses and/or face shield helmets. See OSH 29 CFR

1910.122 (Safety Glasses).

Skin and Body Protection Protective work clothing, heavy duty gloves, body apron or belly pads, safety shoes as

needed.

Respiratory Protection Respiratory protection (specify type): OSHA 24 CFR/134 NIOSH/MSHA Approved

respirators for particulates from buffing debris. If exposure limits are exceeded or irritation is

experienced, ventilation and evacuation may be required.

Hearing Protection Avoid prolonged excessive noise levels created by buffing and polishing operations.

See: OSHA 29 CFR 1910.215 (Hearing Protection)

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical State Solid

Appearance Premolded Cake Form Odor Fatty Odor

ColorBrownOdor ThresholdNo information available

Property Values Remarks/ Method На No data available None known Melting / freezing point 125F/145F None known Boiling point / boiling range Over 300F None known **Flash Point** 350F None known **Evaporation Rate** NiL None known Flammability (solid, gas) No data available None known

Flammability Limit in Air

Upper flammability limit No data available Lower flammability limit No data available

Vapor pressure No data available None known Vapor density No data available None known **Specific Gravity** No data available None known Water Solubility Negligible None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known No data available Dynamic viscosity None known

Explosive properties

Oxidizing Properties

No data available
No data available

Other Information

Softening Point No data available

Page 5/11

VOC Content (%) No data available **Particle Size** No data available

Particle Size Distribution

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Using under conditions of insufficient dust collecting systems or ventilation.

Incompatible materials

Strong Oxidizers or Reducing Agents.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

Inhalation Specific test data for the substance or mixture is not available.

Eye Contact Specific test data for the substance or mixture is not available.

Skin Contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------|-----------------------------------|---------------------|-----------------|
| Carbon black | 15400 mg/kg (Rat) 3 g/kg (Rabbit) | | - |
| | | - | |
| Petrolatum | | 3600 mg/kg (Rabbit) | |
| Quartz | 500 mg/kg (Rat) | | |
| | | | |

Information on toxicological effects

Symptoms No information available.

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

This product contains carbon black which is classified as a possible carcinogen when present as respirable dust. This is not relevant for this product since it is not in a respirable form. This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of

crystalline silica is unlikely to occur from exposure to this product.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|---------------|-------|----------|-------|------|
| Carbon Black | | Group 2B | | X |
| Quartz | | Group 1 | Known | х |

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program) Known - Known Carcinogen OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive ToxicityNo information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Chronic ToxicityThis product contains carbon black in a non-respirable form. Inhalation of carbon black is

unlikely to occur from exposure to this product. Carbon black has been classified by the International Agency for Research on Cancer (IARC) as possibly carcinogenic to humans (Group 2B) by inhalation. This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of crystalline silica is unlikely to occur from exposure to this product.

Target Organ Effects Eyes. Respiratory system. Skin. Lungs.

Aspiration Hazard No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

Not applicable

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

| Chemical Name | Toxicity to Algae | Toxicity to Fish | Toxicity to Microorganisms | Daphnia Magna (Water Flea) |
|---------------|-------------------|------------------|-------------------------------|--------------------------------------|
| Carbon black | | | | EC50 24 h Daphnia magna >5600mg/L |

Persistence and Degradability

No information available.

Bioaccumulation

No information available

Other adverse effects

No information available.

Page 8/11

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

Contaminated PackagingDispose of contents/containers in accordance with local regulations.

| Chemical Name | RCRA | RCRA - Basis for Listing | RCRA - D Series Wastes | RCRA - U Series Wastes |
|---------------|------|--------------------------|------------------------|------------------------|
| | | | | |

14. TRANSPORT INFORMATION

DOT NOT REGULATED

Proper Shipping Name NMFC-48580 Scouring Compound (Cake, Paste or Liquid form N.O.I.)

Hazard Class N/A

TDG Not regulated

MEX Not regulated

ICAO Not regulated

IATA Not regulated

Proper Shipping Name NON REGULATED

Hazard Class N/A

IMDG/IMO Not regulated

Hazard Class N/A

RID Not regulated

ADR Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

| Acute Health Hazard | No |
|-----------------------------------|----|
| Chronic Health Hazard | No |
| Fire Hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

CWA (Clean Water Act)

This product does not contains any substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

| Chemical Name | CAS-No | California Prop. 65 |
|---------------|------------|---------------------|
| Carbon black | 1333-86-4 | Carcinogen |
| Quartz | 14808-60-7 | Carcinogen |

U.S. State Right-to-Know Regulations

.

| Chemical Name | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|----------------|------------|---------------|--------------|--------------|----------|
| Carbon Black | Χ | X | Χ | X | Χ |
| Silica-Tripoli | Χ | X | Χ | X | |
| Quartz | Χ | X | Х | X | |

International Regulations

Mexico Grade Slight risk Grade 1
National occupational exposure limits

| Component | Carcinogen Status | Exposure Limits |
|----------------|-------------------|------------------------------------|
| Carbon Black | | Mexico: TWA= 3.5 mg/m ³ |
| | | Mexico: STEL= 7 mg/m ³ |
| Silica-Tripoli | | Mexico: TWA= 0.1 mg/m ³ |
| Quartz | | Mexico: TWA= 0.1 mg/m ³ |

Mexico - Occupational Exposure Limits - Carcinogens

Canada

WHMIS Hazard Class

Non-controlled

16. OTHER INFORMATION

NFPA Health Hazards 1 Flammability 0 Instability 0 Physical and

Chemical Hazards - HMIS Health Hazards 1 Flammability 0 Physical Hazard 0 Personal Protection

Χ

Prepared By Formax Mfg. Corporation

168 Wealthy St. S.W. Grand Rapids, MI 49503

1-800-242-2833 01-Jan-2018

Revision Date Revision Note

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

Precautions to be taken in handling and storing: Handle with adequate ventilation for nuisance dust when using. See OSHA 29 CFR 1910.24 (Ventilation) and 29 CFR 1910.1000 (Air Contaminants). Other precautions: Keep liquids from freezing. Store away from excessive heat. The information and recommendations set forth herein are taken from sources believed to be accurate as of the date hereof; however, Formax Mfg. makes no warranty with respect to the accuracy of the information or the suitability of the recommendation, and assumes no liability to any user thereof

End of Safety Data Sheet