

# SAFETY DATA SHEET

#### 1. Identification

1. Identification			
Product identifier	LPS® ChainMate		
Other means of identification			
Part Number	02416		
Recommended use	A spray lubricant designed to penetrate chains and wire ropes, displace moisture and provide long lasting lubrication under high loads and humid conditions.		
<b>Recommended restrictions</b>	None known.		
Manufacturer/Importer/Supplier	Distributor information		
Manufacturer			
Manufacturer			
Company name	ITW Pro Brands		
Address	4647 Hugh Howell Rd.		
	Tucker, GA 30084		
Country	(U.S.A.)		
	Tel: +1 770-243-8800		
In Case of Emergency	1-800-424-9300 (inside U.S.)		
	+001 703-527-3887 (outside U.S.)		
Website	www.lpslabs.com		
E-mail	lpssds@itwprobrands.com		
2. Hazard(s) identification			
Physical hazards	Flammable aerosols	Category 1	
	Gases under pressure	Liquefied gas	
Health hazards	Not classified.		
Environmental hazards	Not classified.		
OSHA defined hazards	Not classified.		
Label elements			
Signal word	Danger		
Hazard statement	Extremely flammable aerosol. Contains gas under pressure: may explode if heated.		

Signal word	Danger
Hazard statement	Extremely flammable aerosol. Contains gas under pressure; may explode if heated.
Precautionary statement	
Prevention	Keep away from heat/sparks/open flames/hot surfaces No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.
Response	Wash hands after handling.
Storage	Store in a well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None known.

#### 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
Residual oils, petroleum, solvent refined			60 - 70
Petroleum Gases, Liquefied, Sweetened		68476-86-8	20 - 30
Acetone		67-64-1	< 10
Distillates Petroleum Hydrotreated Light		64742-47-8	1 - 5
Petroleum Oil		64741-88-4	1 - 5

## 4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.	
Skin contact	No adverse effects due to skin contact are expected.	
Eye contact	No specific first aid measures noted.	
Ingestion	Not likely, due to the form of the product.	
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.	
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.	

# 5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
Fire fighting equipment/instructions	In case of fire: Stop leak if safe to do so. Do not move cargo or vehicle if cargo has been exposed to heat. Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Cool containers exposed to flames with water until well after the fire is out. In the event of fire and/or explosion do not breathe fumes.
General fire hazards	Extremely flammable aerosol. Contents under pressure. Pressurized container may explode when exposed to heat or flame.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Wear appropriate protective equipment and clothing during clean-up. Emergency personnel need self-contained breathing equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.
Methods and materials for containment and cleaning up	Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Isolate area until gas has dispersed. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

#### 7. Handling and storage

Precautions for safe handling	Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Level 3 Aerosol. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store in a well-ventilated place. Stored containers should be periodically checked for general condition and leakage. Store away from incompatible materials (see Section 10 of the SDS).

#### 8. Exposure controls/personal protection

U.S OSHA Components		Туре		١	/alue	Form
Distillates Petroleum Hydrotreated Light (CAS 64742-47-8)		PEL		5	5 mg/m3	Oil mist
US. OSHA Table Z-1 Limi	its for Air Contami	inants	(29 CFR 1910.10	00)		
Components		Туре		· \	/alue	
Acetone (CAS 67-64-1)		PEL			2400 mg/m3 000 ppm	
ACGIH Components		Туре		١	/alue	Form
Distillates Petroleum Hydrotreated Light (CAS 64742-47-8)		TWA		5	i mg/m3	Oil mist
US. ACGIH Threshold Lir	nit Values	Tuno		,	/alue	
Components		Туре				
Acetone (CAS 67-64-1)		STEL			500 ppm	
		TWA		2	250 ppm	
US. NIOSH: Pocket Guide Components	e to Chemical Haz	ards Type		١.	/alue	
·						
Acetone (CAS 67-64-1)		TWA			590 mg/m3 250 ppm	
logical limit values				-		
logical limit values ACGIH Biological Expos	uro Indicos					
Components	Value		Determinant	Specimen	Sampling	Time
Acetone (CAS 67-64-1)	25 mg/l		Acetone	Urine	*	
* - For sampling details, pl	<b>U</b>	e docu	iment.			
propriate engineering trols	Good general should be mat or other engin	ventila tched t eering	ation (typically 10 o conditions. If ap controls to maint	plicable, use p ain airborne lev	rocess enclosi vels below reco	be used. Ventilation rates ures, local exhaust ventilatio ommended exposure limits. to an acceptable level.
ividual protection measur Eye/face protection	es, such as perso	nal pro		ent		·
Skin protection						e recommended by the glove
Hand protection	Wear appropr supplier.	late ch	iemicai resistant ç	lioves. Suitable	gioves can be	recommended by the glov

Respiratory protection	If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

••••••••••••••••••••••••••••••••••••••	
Appearance	
Physical state	Gas.
Form	Aerosol.
Color	Dark grey. Black.
Odor	Slight petroleum odor.
Odor threshold	Not established
рН	Not applicable
Melting point/freezing point	Not established
Initial boiling point and boiling range	Not established
Flash point	< -4.0 °F (< -20.0 °C) Tag Closed Cup
Evaporation rate	Not established
Flammability (solid, gas)	Flammable gas.
Upper/lower flammability or expl	losive limits
Flammability limit - lower (%)	Not established
Flammability limit - upper (%)	Not established
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	35 psi @ 75° F
Vapor density	>1
Relative density	Not available.
Solubility(ies)	
Solubility (water)	16 % (Soluble)
Partition coefficient (n-octanol/water)	Not established
Auto-ignition temperature	Not established
Decomposition temperature	Not established
Viscosity	150 cP @ 75° F / 23.9° C
Other information	
Density	7.32
Explosive properties	Not explosive.
Heat of combustion	> 30 kJ/g
Oxidizing properties	Not oxidizing.
Percent volatile	17 %
Percent volatile temperature	110 °F (43.33 °C)
Specific gravity	0.88 @ 20ºC
VOC	22.33 % per US State and Federal Consumer Prodcut Regulations
10. Stability and reactivity	

#### 10. Stability and reactivity

•	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.

Possibility of hazardous Harreactions	azardous polymerization does not occur.			
	Heat. Avoid temperatures exceeding the flash point. Contact with incompatible materials.			
	Acids. Strong oxidizing agents.			
•	Carbon oxides.			
products				
11. Toxicological information	า			
Information on likely routes of expo	osure			
Inhalation Pr	rolonged inhalation may be harmful.			
Skin contact No	lo adverse effects due to skin contact are expected.			
Eye contact Di	irect contact with eyes may cause temporary irritatio	n.		
Ingestion Ex	xpected to be a low ingestion hazard.			
Symptoms related to the Dip physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.			
Information on toxicological effects	8			
Acute toxicity No	ot expected to be acutely toxic.			
Components	Species	Test Results		
Distillates Petroleum Hydrotreated Lig	ght (CAS 64742-47-8)			
Acute				
<b>Dermal</b> LD50	Rabbit	> 2000 mg/kg		
Inhalation	habbit	> 2000 mg/kg		
Vapor				
-	Rat	> 4.5 mg/l, 4 Hours		
Petroleum Oil (CAS 64741-88-4)		-		
Acute				
Dermal				
LD50	Rabbit	> 2000 mg/kg		
Inhalation				
	Rat	> 3.9 mg/l, 4 Hours		
Oral	Det			
	Rat	> 2000 mg/kg		
	rolonged skin contact may cause temporary irritation			
Serious eye damage/eye Di irritation	irect contact with eyes may cause temporary irritatio	11.		
Respiratory or skin sensitization				
	lot a respiratory sensitizer.			
Skin sensitization Th	This product is not expected to cause skin sensitization.			
	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.			
Carcinogenicity Th	his product is not considered to be a carcinogen by	IARC, ACGIH, NTP, or OSHA.		
ACGIH Carcinogens				
Acetone (CAS 67-64-1) IARC Monographs. Overall Eval Not listed. OSHA Specifically Regulated St		a human carcinogen.		
Not regulated.	OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not regulated.			
US. National Toxicology Progra	am (NTP) Report on Carcinogens			
Not listed. Reproductive toxicity Th	his product is not expected to cause reproductive or			

Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not likely, due to the form of the product.
Chronic effects	Prolonged inhalation may be harmful.
Further information	None known.

#### 12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

0	ροδοιοπιτγι		Irmful or damaging effect on the environment
Components		Species	Test Results
Acetone (CAS 67-64-1)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	10294 - 17704 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	4740 - 6330 mg/l, 96 hours
Distillates Petroleum Hydrotr	eated Light (C	AS 64742-47-8)	
Aquatic			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	2.9 mg/l, 96 hours
ersistence and degradability	Not inherently biodegradable.		
oaccumulative potential			
Partition coefficient n-octa	nol / water (lo	og Kow)	
LPS® ChainMate		> 1	
Acetone		-0.24	
obility in soil	No data available.		
ther adverse effects	None known.		
3. Disposal consideratio	ons		
sposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance with local/regional/national/international regulations.		
ocal disposal regulations	Dispose in accordance with all applicable regulations.		
azardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company. D001: Waste Flammable material with a flash point <140 F D003: Waste Reactive material		
aste from residues / unused oducts	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
ontaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.		

### 14. Transport information

DOT	

UN number     UN1950       UN proper shipping name     Aerosols, flammable       Transport hazard class(es)     2.1	
Transport hazard class(es)	
Class 2.1	
Subsidiary risk -	
Label(s) 2.1	
Packing group Not available.	
Environmental hazards	
Marine pollutant No	
Special precautions for user Read safety instructions, SDS and emergency procedures before handling.	
Special provisions N82	

Packaging exceptions	306
Packaging bulk	None
IATA	
UN number	UN1950
UN proper shipping name	Aerosols, flammable
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Packing group	Not available.
Environmental hazards	No.
ERG Code	10L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo	Allowed with restrictions.
aircraft	
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN1950
UN proper shipping name	AEROSOLS, flammable
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Packing group	Not available.
Environmental hazards	
Marine pollutant	No
EmS	F-D, S-U
· ·	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to	Not applicable.
Annex II of MARPOL 73/78 and	
the IBC Code	
DOT	





**General information** 

Avoid transport on vehicles where the load space is not separated from the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Before transporting product containers: Ensure that containers are firmly secured. Ensure cylinder valve is closed and not leaking. Ensure valve outlet cap nut or plug (where provided) is correctly fitted. Ensure valve protection device (where provided) is correctly fitted. Ensure adequate ventilation. Ensure compliance with applicable regulations.

#### 15. Regulatory information

15	. Regulatory information	n	
US	federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communica Standard, 29 CFR 1910.1200.	tion
	TSCA Section 12(b) Export	Notification (40 CFR 707, Subpt. D)	
	Not regulated. CERCLA Hazardous Substa	nce List (40 CFR 302.4)	
	Acetone (CAS 67-64-1)	Listed.	
	SARA 304 Emergency release	se notification	
	Not regulated. OSHA Specifically Regulate	d Substances (29 CFR 1910.1001-1050)	
	Not regulated.		
Su	<b>v</b>	eauthorization Act of 1986 (SARA)	
	Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No	
	SARA 302 Extremely hazard	dous substance	
	Not listed.		
	SARA 311/312 Hazardous chemical	Yes	
	SARA 313 (TRI reporting) Not regulated.		
Oth	er federal regulations		
	Clean Air Act (CAA) Section	n 112 Hazardous Air Pollutants (HAPs) List	
	Not regulated. Clean Air Act (CAA) Section	n 112(r) Accidental Release Prevention (40 CFR 68.130)	
	Not regulated.		
	Safe Drinking Water Act (SDWA)	Not regulated.	
	Drug Enforcement Adm Chemical Code Number	ninistration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) r	and
	Acetone (CAS 67-64	,	
	•	inistration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))	
	Acetone (CAS 67-64		
	•	Mixtures Code Number	
	Acetone (CAS 67-64	-1) 6532 ces Respiratory Health and Safety in the Flavor Manufacturing Workplace	
	Acetone (CAS 67-64		
211	state regulations		
00	-	hemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 6950	)2.3, subd.
	Acetone (CAS 67-64-1)	ied, Sweetened (CAS 68476-86-8) I1-88-4)	
Inte	ernational Inventories		
	Country(s) or region	Inventory name On invento	ory (yes/no)*
	Australia	Australian Inventory of Chemical Substances (AICS)	No
	Canada	Domestic Substances List (DSL)	No
	Canada	Non-Domestic Substances List (NDSL)	No
	China	Inventory of Existing Chemical Substances in China (IECSC)	No
	Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
	_		

No

No

Country(s) or region	Inventory name	On inventory (yes/no)*
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Ricc	Toxic Substances Control Act (TSCA) Inventory	No

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### 16. Other information, including date of preparation or last revision

Issue date Version #	11-02-2016 01
Disclaimer	ITW Pro Brands cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.