Safety Data Sheet



Revision Number: 003.1

1. PRODUCT AND COMPANY IDENTIFICATION

Product name:

Product type: Restriction of Use: Company address: Henkel Corporation One Henkel Way Rocky Hill, Connecticut 06067

LOCTITE LB 8070 known as LOCTITE IDH number: HD AntiSeize 20g stk E Lubricant None identified

864067

Item number: 41205 Region: **United States Contact information:** Telephone: (860) 571-5100 MEDICAL EMERGENCY Phone: Poison Control Center 1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887 Internet: www.henkelna.com

2. HAZARDS IDENTIFICATION

WARNING:

EMERGENCY OVERVIEW CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE IRRITATION.

| HAZARD CLASS | HAZARD CATEGORY |
|-----------------|-----------------|
| SKIN IRRITATION | 2 |
| EYE IRRITATION | 2A |



Precautionary Statements

| Prevention: | Wash affected area thoroughly after handling. Wear protective gloves, eye protection, and face protection. |
|-----------------------|---|
| Response: | IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical attention. If eye irritation persists: Get medical attention. Take off contaminated clothing. |
| Storage: Disposal: | Not prescribed |

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Hazardous Component(s) | CAS Number | Percentage* |
|---|------------|-------------|
| Distillates (petroleum), hydrotreated heavy naphthenic | 64742-52-5 | 30 - 40 |

| Petroleum distillates, hydrotreated, light naphthenic | 64742-53-6 | 10 - 20 |
|---|------------|---------|
| Calcium fluoride | 7789-75-5 | 10 - 20 |
| Graphite | 7782-42-5 | 10 - 20 |
| Calcium distearate | 1592-23-0 | 1 - 5 |

* Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

| 4. FIRST AID MEASURES | | |
|------------------------------------|--|--|
| Inhalation: | Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention. | |
| Skin contact: | Remove contaminated clothing and footwear. Wash with soap and water. If symptoms develop and persist, get medical attention. Wash clothing before reuse. | |
| Eye contact: | Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention. | |
| Ingestion: | Do not induce vomiting. Keep individual calm. Never give anything by mout to an unconscious person. Aspiration may cause pulmonary edema and pneumonitis. Get medical attention. | |
| Symptoms: | See Section 11. | |
| 5. F | IRE FIGHTING MEASURES | |
| Extinguishing media: | Water spray (fog), foam, dry chemical or carbon dioxide. | |
| Special firefighting procedures: | Wear self-contained breathing apparatus and full protective clothing, such a turn-out gear. In case of fire, keep containers cool with water spray. | |
| Unusual fire or explosion hazards: | Not available. | |
| Hazardous combustion products: | Oxides of carbon. | |

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

| Environmental precautions: Do not allow product to enter sewer or waterways. | |
|---|---|
| Clean-up methods: | Ensure adequate ventilation. Scrape up as much material as possible. Clean residue with soap and water. Store in a closed container until ready for disposal. |

7. HANDLING AND STORAGE

| Handling: | Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. Keep container closed. Refer to Section 8. |
|-----------|---|
| Storage: | For safe storage, store between 15 $^\circ\text{C}$ (59 $^\circ\text{F}) and 49 ^\circ\text{C} (120.2 ^\circ\text{F})$ |

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

| Hazardous Component(s) | ACGIH TLV | OSHA PEL | AIHA WEEL | OTHER |
|--|--|--|-----------|-------|
| Distillates (petroleum), hydrotreated heavy naphthenic | 5 mg/m3 TWA Inhalable fraction. 5 mg/m3 TWA mist 10 mg/m3 STEL mist | 5 mg/m3 TWA mist 500 ppm (2,000 mg/m3) PEL 5 mg/m3 PEL Mist. | None | None |
| Petroleum distillates, hydrotreated, light naphthenic | 5 mg/m3 TWA Inhalable fraction. | 5 mg/m3 PEL Mist. 500 ppm (2,000 mg/m3) PEL | None | None |
| Calcium fluoride | 2.5 mg/m3 TWA (as F) | 2.5 mg/m3 PEL (as F) 2.5 mg/m3 TWA Dust. | None | None |
| Graphite | 2 mg/m3 TWA Respirable fraction. | 5 mg/m3 PEL Respirable fraction. 15 mg/m3 PEL Total dust. 15 MPPCF TWA | None | None |
| Calcium distearate | 10 mg/m3 TWA 3 mg/m3 TWA Respirable fraction. | None | None | None |

Engineering controls:

Respiratory protection:

Eye/face protection:

Skin protection:

Provide adequate local exhaust ventilation to maintain worker exposure below exposure limits.

Use NIOSH approved respirator if there is potential to exceed exposure limit(s). Observe OSHA regulations for respirator use (29 CFR 1910.134).

Safety goggles or safety glasses with side shields. Safety showers and eye wash stations should be available.

Use impermeable gloves and protective clothing as necessary to prevent skin contact.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Color: Odor: Odor threshold: pH: Vapor pressure: Boiling point/range: Melting point/ range: Specific gravity: Vapor density: Flash point:

Flammable/Explosive limits - lower: Flammable/Explosive limits - upper: Autoignition temperature: Flammability: Evaporation rate: Solubility in water: Partition coefficient (n-octanol/water): VOC content: Viscosity: Decomposition temperature:

Solid Black Mild, Petroleum Not available. Not applicable Not determined Not available. Not available. 1.1777 Not available. Not classified as a flammable solid per DOT Classification Guidelines Part 173 Appendix H 7/10/2002. Not determined Not determined Not determined Not applicable Not determined Not available. Not determined 13.3 %; 157 g/l Not available. Not available.

10. STABILITY AND REACTIVITY

| Stability: | Stable under normal conditions of storage and use. |
|--------------------------------------|--|
| Hazardous reactions: | Will not occur. |
| Hazardous decomposition products: | Oxides of carbon. Hydrocarbons. |
| Incompatible materials: | Acids. Alkalis. |
| Reactivity: | Not available. |
| Conditions to avoid: | None known |

Relevant routes of exposure: Skin, Eyes

Potential Health Effects/Symptoms

| Inhalation: | May cause respiratory tract irritation. This product has low volatility and is not expected to |
|---------------|--|
| | cause respiratory tract irritation during normal conditions of use. |
| Skin contact: | Causes skin irritation. |
| Eye contact: | Causes serious eye irritation. |
| Ingestion: | Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Principal hazard of ingestion is aspiration into the lungs and subsequent pneumonitis. |

| Hazardous Component(s) | LD50s and LC50s | Immediate and Delayed Health Effects |
|--|-------------------------------|--------------------------------------|
| Distillates (petroleum), hydrotreated heavy naphthenic | None | Irritant |
| Petroleum distillates, hydrotreated, light naphthenic | None | Irritant |
| Calcium fluoride | Oral LD50 (Rat) = 4,250 mg/kg | Teeth, Muscle, Respiratory |
| Graphite | None | Lung |
| Calcium distearate | None | No Target Organs |

| Hazardous Component(s) | NTP Carcinogen | IARC Carcinogen | OSHA Carcinogen (Specifically Regulated) |
|--|----------------|-----------------|---|
| Distillates (petroleum), hydrotreated heavy naphthenic | No | No | No |
| Petroleum distillates, hydrotreated, light naphthenic | No | No | No |
| Calcium fluoride | No | No | No |
| Graphite | No | No | No |
| Calcium distearate | No | No | No |

12. ECOLOGICAL INFORMATION

Ecological information:

Not available.

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal:

Hazardous waste number:

Follow all local, state, federal and provincial regulations for disposal.

Not a RCRA hazardous waste.

14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

| U.S. Department of Transportation Ground (4 Proper shipping name: Hazard class or division: Identification number: Packing group: | 19 CFR) Not regulated None None None |
|--|---|
| International Air Transportation (ICAO/IATA) Proper shipping name: Hazard class or division: Identification number: Packing group: | Not regulated None None None |
| Water Transportation (IMO/IMDG) Proper shipping name: Hazard class or division: Identification number: Packing group: | Not regulated None None None |

15. REGULATORY INFORMATION

United States Regulatory Information

| TSCA 8 (b) Inventory Status: | All components are listed or are exempt from listing on the Toxic Substances Control Act | |
|--|--|--|
| TSCA 12 (b) Export Notification: | Inventory. None above reporting de minimis | |
| CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312: CERCLA/SARA Section 313: | None above reporting de minimis. Immediate Health, Delayed Health None above reporting de minimis. | |
| California Proposition 65: | No California Proposition 65 listed chemicals are known to be present. | |
| Canada Regulatory Information | | |
| CEPA DSL/NDSL Status: | All components are listed on or are exempt from listing on the Canadian Domestic | |

Substances List.

16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: New Safety Data Sheet format.

Prepared by: Catherine Bimler, Regulatory Affairs Specialist

Issue date: 11/02/2016 **DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.